

EDITION 8

Wood & Iron

Carolina
Stair Supply
Craftsmanship in Stair Parts




Table of Contents

Special Order Species 2
Traditional Series 3
Buckeye Series 4
Square Savannah 5
Carolina Series Balusters 6
Carolina Series Newels 7
Hampton Series 8
Savannah Series 9
Biltmore Series 10
Contemporary Series 11
Victorian Newels 12
Rail Profiles 13
Linear 14
Custom Turnings 15-21
Fittings - Easements, Caps, Turnouts, Volutes 22
Fittings - Quarterturns, Goosenecks 23
Accessories 24
Treads, Riser, Linear Items 25
Iron Finnish Options 26
Powder Coated Regular & Ribbon Twist Balusters 27
Powder Coated Square & Round Stamped Balusters 28
Powder Coated Hand Forged & Gothic Balusters 29
Tapered & Hammered Balusters 30
Wave & Curl Forged Balusters 30
Powder Coated Newel Posts 31
Powder Coated Shoes 31
Olé Iron Slides™ ..... Back Cover

CAROLINA STAIR SUPPLY

316 Herrick Street, Uhrichsville, Ohio 44683
Tel: 1-800-364-3269 • Fax: 740-922-3330



We also offer a priming service for all of our products. Available in flat or gloss white finish.

Pictured:
Left: 5015
Right: 4003-F

In addition to our Oak and Poplar parts that we stock, we are pleased to offer all of the products in this catalog, by special order, in the following species:



Balusters

All newels and balusters featured in this catalog are available in Oak or Poplar.


The 3X Concept


Developed to increase ordering efficiency, the 3X Concept ensures a perfect fit by simply trimming off the excess length from the top of the baluster. It can be applied to the following:

Page 6: **#4415-P**
#4415-F
#4415-T
Page 9: **#5011-P**
#4011-P
#4011-F

Below are examples of the newel top options that are available for the items in our Traditional line of Wood Stair Parts.

All traditional balusters can be fluted, twisted, or reeded upon request.





5067
1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

5015
1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

5014
1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"


5015 LB
41"
No Dowel

5015 Primed
Available in domestic or imported



Baluster (#5014)
Newel (#1607)
Volute (#7035)
Rail (#6010)

Newels



1640
3" x 48"
3" x 54"
3" x 60"
3" x 72"
1740
3-1/4" x 48"
3-1/4" x 60"

1641
3" x 48"
3" x 60"
3" x 72"
1741
3-1/4" x 48"
3-1/4" x 60"

1642
3" x 48"
3" x 60"
1742
3-1/4" x 48"
3-1/4" x 60"

1643
3" x 60"
3" x 72"
1646
Same as 1643, but with 16" Top
1743
3-1/4" x 60"

1600
3" x 48"
3" x 54"
3" x 60"
3" x 72"
1700
3-1/4" x 48"
3-1/4" x 60"

1605
3" x 48"
3" x 60"

1606
Round Base
3" x 37"
3" x 40"
3" x 43"
1607
Square Base

4010
3" x 48"
3" x 54"
3" x 60"


4040
3" x 48"
4042
3" x 54"
4043
3" x 60"

4045
3" x 48"
3" x 60"
3" x 72"

4046
3" x 60"
3" x 72"


Available in most species

Balusters



2415-TAP	2415-OCT	2415-TW	2415-OT	2405-TAP	2405-OCT	2405-TW	2405-OT
1-3/4 x 36	1-3/4 x 36	1-3/4 x 36	1-3/4 x 36	1-3/4 x 36	1-3/4 x 36	1-3/4 x 36	1-3/4 x 36
1-3/4 x 39	1-3/4 x 39	1-3/4 x 39	1-3/4 x 39	1-3/4 x 39	1 3/4 x 41	1-3/4 x 39	1-3/4 x 39
1 3/4 x 41	1 3/4 x 41	1 3/4 x 41	1 3/4 x 41	1 3/4 x 41		1 3/4 x 41	1 3/4 x 41

Newels



2410-TAP	2410-OCT	2410-TW	2410-OT	2442-TAP	2442-OCT	2442-TW	2442-OT
3-1/2 x 48	3-1/2 x 48	3-1/2 x 48	3-1/2 x 48	3-1/2 x 48	3-1/2 x 48	3-1/2 x 48	3-1/2 x 48
3-1/2 x 60	3-1/2 x 60	3-1/2 x 60	3-1/2 x 60	3-1/2 x 60	3-1/2 x 60	3-1/2 x 60	3-1/2 x 60

800-364-3269

Balusters



4011S-OCT
1-3/4 x 36
1-3/4 x 39
1-3/4 x 41



4011S-SQ
1-3/4 x 36
1-3/4 x 39
1-3/4 x 41




4001S-OCT
1-3/4 x 36
1-3/4 x 41



4001S-SQ
1-3/4 x 36
1-3/4 x 39
1-3/4 x 41

Newels



4810-OCT
3-1/2 x 48"
3-1/2x 60"



4810-SQ
3-1/2 x 48"
3-1/2x 60"



4842-OCT
3-1/2 x 48"
3-1/2x 60"




4842-SQ
3-1/2 x 48"
3-1/2x 60"

Available in most species



Balusters

This series available in octagon by special order.



Baluster (#4415-F)
Newel (4410-F)
Volute (#7930)
Rail (#6900)

4405-P
Plain
1-3/4" x 36"
1-3/4" x 41"


4405-F
Fluted
1-3/4" x 36"
1-3/4" x 41"

4405-R
Reeded
1-3/4 x 36"
1-3/4 x 41"

4405-SQ
Square
1-3/4 x 36"
1-3/4 x 41"

4405-T
Twisted
1-3/4" x 36"
1-3/4" x 41"

Top extends with longer lengths



4415 LB
41"
Available in Plain, Twisted, Fluted or Reeded
(No Dowel)

4415-P
Plain
1-3/4" x 3X"
1-3/4" x 39"
1-3/4" x 41"

4415-F
Fluted
1-3/4" x 3X"
1-3/4" x 39"
1-3/4" x 41"

4415-R
Reeded
1-3/4 x 3x"
1-3/4 x 39"
1-3/4 x 41"

4415-T
Twisted
1-3/4" x 3X"
1-3/4" x 39"

1-3/4" x 41"
4417-F
Fluted
1-3/4" x 41" LB
(No Dowel) - Also Available in Plain

4417-R
Reeded
1-3/4" x 41" LB

800-364-3269

Newels

This series available in octagon by special order.



4442
Now Available
With
Acorn Top
WIth Special Order




4442-P
Plain
3-1/2" x 48"
3-1/2" x 60"

4442-F
Fluted
3-1/2" x 48"
3-1/2" x 60"

4442-R
Reeded
3-1/2 x 48"
3-1/2 x 60"

4442-T
Twisted
3-1/2" x 48"
3-1/2" x 60"

When ordering #4442 series, please specify 5", 10", or 13" top.
10" & 13" Top Available in 60" Only



4410-P
Plain
3-1/2" x 48"
3-1/2" x 60"

4410-F
Fluted
3-1/2" x 48"
3-1/2" x 60"

4410-R
Reeded
3-1/2" x 48"
3-1/2" x 60"

4410-T
Twisted
3-1/2" x 48"
3-1/2" x 60"

4461-P
Plain
3" x 40"

4461-F
Fluted
3" x 40"

Dowel is sent loose.

4461-T
Twisted
3" x 40"


Available in most species

Carolina



Balusters


This series available in octagon by special order.
(Excluding # 5205P & #5200P)



Baluster (5300)
Newel (4610)
Volute (7930)
Rail (6900)

5205 P	5200 P	5300 P	5105 P	5105-SQ	5005 P	5300 LB
1-1/4" x 31"	1-1/4" x 31"	1-3/4" x 31"	1-3/4" x 31"	(No Dowel)	(No Dowel)	(No Dowel)
1-1/4" x 34"	1-1/4" x 34"	1-3/4" x 34"	1-3/4" x 34"	1-3/4" x 31"	1-3/4" x 31"	41"
1-1/4" x 36"	1-1/4" x 36"	1-3/4" x 36"	1-3/4" x 36"	1-3/4" x 36"	1-3/4" x 36"	
1-1/4" x 39"	1-1/4" x 39"	1-3/4" x 39"	1-3/4" x 39"	1-3/4" x 41"	1-3/4" x 41"	
1-1/4" x 41"	1-1/4" x 41"	1-3/4" x 41"	1-3/4" x 41"			


Newels



4642	4642 P (6-1/2" Top)	4642 P (10" Top)	4642 P (13" Top)	4610 P	4661 P
Now Available with Acorn Top with Special Order	3-1/2" x 48"	3-1/2" x 48"	3-1/2" x 60"	3-1/2" x 48"	3" x 40"
	3-1/2" x 60"	3-1/2" x 60"	**3642 (13" Top)**	3-1/2" x 60"	
	3642 (6-1/2" Top)	**3642 (10" Top)**	3" x 60"	**3610**	
	3" x 48"	3" x 60"		3" x 48"	
	3" x 60"			3" x 60"	

800-364-3269

Balusters




4001-P	4001-F	4001-R	5001-P or F	5011-P	4011-P	4011-F	4011-R	4011-LB
1-3/4" x 36" 1-3/4" x 41" (No Dowel)	1-3/4" x 36" 1-3/4" x 41" (No Dowel)	36" 1-3/4" x 36" 1-3/4" x 41" (No Dowel)	1-1/4" x 36" 1-1/4" x 39" 1-1/4" x 41" (No Dowel)	1-1/4" x 36" 1-1/4" x 39" 1-1/4" x 41"	1-3/4" x 36" 1-3/4" x 39" 1-3/4" x 41"	1-3/4" x 36" 1-3/4" x 39" 1-3/4" x 41"	1-3/4" x 36" 1-3/4" x 39" 1-3/4" x 41"	41" Available Plain or Fluted (No Dowel)



Baluster (#5011)
Newel (#4810)
Volutes (#7930, 7935)
Rail (6900)


Newels



4842	4842-P	4842-F	4842-P	4842-F	4842-R	4810-P	4810-F	4810-R	4861-P
Now Available with Acorn Top with Special Order	3-1/2" x 48" 3-1/2" x 60" **3842** 3" x 48" 3" x 60"	3-1/2" x 48" 3-1/2" x 60"	10" Top 3-1/2" x 60"	10" Top 3-1/2" x 60"	3-1/2" x 48" 3-1/2" x 60"	3-1/2" x 48" 3-1/2" x 60" **3810** 3" x 48" 3" x 60"	3-1/2" x 48" 3-1/2" x 60"	3-1/2" x 48" 3-1/2" x 60"	3" x 40" **4861** Fluted and reeded also available

When ordering #4842 series, please specify 5" or 10" top. 10" top available in 60" only.

Balusters




5715-P
Plain
1-1/2 or 1-3/4" x 3X"
1-1/2 or 1-3/4" x 39"
1-1/2 or 1-3/4" x 41"

5715-F
Fluted
1-1/2 or 1-3/4" x 3X"
1-1/2 or 1-3/4" x 39"
1-1/2 or 1-3/4" x 41"

5715-R
Reeded
1-1/2 or 1-3/4" x 3X"
1-1/2 or 1-3/4" x 39"
1-1/2 or 1-3/4" x 41"

Newels



4742-P
Plain
3-1/4" x 48"
3-1/4" x 60"

4742-F
Fluted
3-1/4" x 48"
3-1/4" x 60"

4742-R
Reeded
3-1/4" x 48"
3-1/4" x 60"


4710-P
Plain
3-1/4" x 48"
3-1/4" x 60"

4710-F
Fluted
3-1/4" x 48"
3-1/4" x 60"

60" Available in 5", 10" or 13" Top Block
Please specify when ordering.
Newels Also Available in 3-1/2" by Special Order.

4710 Also Available in Reeded
3-1/4" x 48"
3-1/4" x 60"

Balusters



Available fluted by special order.


0150-P Round Pool Cue	0175-P	0125-P	0175-F	0125-VFL	0175-VFL
1-3/16" x 36"	1-3/4" x 31"	1-1/4" x 31"	1-3/4" x 31"	1-1/4" x 31"	1-3/4" x 31"
1-3/16" x 39"	1-3/4" x 34"	1-1/4" x 34"	1-3/4" x 34"	1-1/4" x 34"	1-3/4" x 34"
1-3/16" x 41"	1-3/4" x 36"	1-1/4" x 36"	1-3/4" x 36"	1-1/4" x 36"	1-3/4" x 36"
Includes Dowel	1-3/4" x 39"	1-1/4" x 39"	1-3/4" x 39"	1-1/4" x 39"	1-3/4" x 39"
	1-3/4" x 41"	1-1/4" x 41"	1-3/4" x 41"	1-1/4" x 41"	1-3/4" x 41"



Custom Cut Baluster (#0175)

Newel (#4003-P)

Newels



4050-A
3" x 48"
3" x 60"
4050-B
3-1/2" x 48"
3-1/2" x 60"
By Special Order Only

4003-P
3-1/2" x 48"
3-1/2" x 60"

4002-P
3" x 48"
3" x 60"

4002 and 4003
Available Fluted by Special Order


4004-BT
3" or 3-1/2" x 48"
4005BT
3" or 3-1/2" x 60"
4006BT
3" or 3-1/2" x 72"

4004-TD
3" or 3-1/2" x 48"
4005TD
3" or 3-1/2" x 60"
4006TD
3" or 3-1/2" x 72"

Also available in Mushroom Tops

Available in most species

Contemporary



4075
64-1/8"
BaseWidth:
3-1/2" Square

4097-CUS
We can apply
virtually any
applicay.
Call for pricing.

CS120

CS 2.9.5
Ends: 9/16"
Ht: 44"
Wt: 3.5 lbs.

CS121

CS 2.9.6
Ends: 9/16"
Ht: 44"
Wt: 3.8 lbs.

4091 Caps for Box Newels.
Can make virtually any fitting.



BNC-21



BNC-19



BNC-20

Cap Options



CS-101



CS-102



CS-103



CS-104



CS-105



4091-RP and 4095-RP

4091-FP and 4095-FP

4091-FL and 4095-FL

4091-PL and 4095-PL


4092-FL and 4092-PL

4392-FL
4392-PL
4392-RP
4392-FP




Box Newel Mount

Items 4091-RP, 4091-FP, 4091-FL and 4091-PL have a base width of 6-1/4" square and middle width of 4-3/4" square.
Items 4095-RP, 4095-FP, 4095-FL and 4095-PL have a base width of 7-1/2"square and a middle width of 6" square.
4095 available by special order only. Item 4092 has a base width of 5" square and 4392 has a base width of 4-3/4" square.



6025
With Finger Groove
Contemporary Rail
1-3/4"w x 5-1/2"h
(Fittings Not Available)


6026
W/Out Finger Groove



6000
For Plowed
Please Specify
1-3/4" or 1-1/4"



6115
Mid-Western
2-5/8"w x 2-3/4"h




6115 B
Mid-Western Bending Rail



R-4
Allied
2-5/8"w x 2-3/8"h



6010
Traditional
2-1/4"w x 2-3/8"h



6210 B
Traditional Bending Rail
9 Pieces
6010 B
7 Pieces



6210
Traditional
2-5/8"w x 2-3/8"h



R-11
Midwest
2-5/8"w x 2-3/8"h




6300
Carolina
2-1/4"w x 2-3/8"h



6300 B
Carolina Bending Rail



6519
Hampton
2-5/8"w x 3"h



6519 B
Hampton Bending Rail
8 Pieces



6700
Georgian
2-5/8"w x 2-3/8"h




6700 B
Georgian Bending Rail
8 Pieces



R-15
Mincey
2-5/8"w x 2-1/4"h




6800
Charleston
2-5/8"w x 2-3/8"h



6800 B
Charleston Bending Rail
8 Pieces




6900
Raleigh Jr.
2-5/8"w x 2-3/8"h





6900 B
Raleigh Jr. Bending Rail - 8 Pieces
6600 B
Raleigh Bending Rail - 12 Pieces





6600
Raleigh
3-1/8"w x 2-3/8"h























Available in most species

Linear



8090
Landing Tread
1-1/16” x 3-1/2”



8095
Landing Tread
1-1/16” x 5-1/2”



8095
Bending Landing Tread
1" x 5-1/2"



8085
Nosing
1-1/16” x 1-1/2”



6910 - Cove Mold
3/4” x 3/4”
6904 - Cove Mold
1/2” x 5/8”



6912
Stringer Mold
1-7/16" x 5/8"



6043
Wall Rail
1-3/4" x -5/8"



6040
Wall Rail
1-1/2” x 1-1/2”



6042
Wall Rail
1-5/16” x 2-1/4”
Fittings Now Available
Easments & Quarterturns



1001
Shoe Rail
3/4” x 3-1/8 x 1-3/4” Plow
3/4” x 2-1/2” x 1-1/4” Plow



1000
Fillet
3/16” x 1-1/4”
3/16” x 1-3/4”




1002
Flat Fillet
3/16” x 1-1/4”
3/16” x 1-3/4”



6915
Stringer Cap
5/8” x 1/2”

Floridian Series



Newel Post
CSN 130
5-1/2" x 48"


Fireplace Column
CSF 130
5-1/2" x 52"

Kitchen Island Column
CSK 130
5-1/2" x 36"

CS 333
3-1/4" x 60"

Hollow Flute
CS 324
Available in Square Top
2" x 41"

Augustine Series



Newel Post
CSN 150
5-1/2" x 48"

Fireplace Column
CSF 150
5-1/2" x 52"


Kitchen Island Column
CSK 150
5-1/2" x 36"

CS 555
3-1/4" x 60"

CS 524
Available in Square Top
2" x 41"

Available in most species

Alexandria Series



Newel Post
CSN 110
5-1/2" x 48"

Fireplace Column
CSF 110
5-1/2" x 52"


Kitchen Island Column
CSK 110
5-1/2" x 36"

CS 35
3-1/4" x 60"

CS 124
Available in Square Top
2" x 41"

CS 124
Sq Top
2" x 41"

Eldorado Series



Newel Post
CSN 120
5-1/2" x 48"

Fireplace Column
CSF 120
5-1/2" x 52"

Kitchen Island Column
CSK 120
5-1/2" x 36"


CS 65
3-1/4" x 60"

CS 224
Available in Square Top
2" x 41"

Available in most species

Custom Profiles

Carrabelle Series



Newel Post
CSN 150-T
5-1/2" x 48"


Fireplace Column
CSF 150-T
5-1/2" x 52"

Kitchen Island Column
CSK 150-T
5-1/2" x 36"

CS 555-T
3-1/4" x 60"

CS 524-T
Available in Square Top
2" x 41"

Labelle Series



Newel Post
CSN 170
5-1/2" x 48"


Fireplace Column
CSF 170
5-1/2" x 52"

Kitchen Island Column
CSK 170
5-1/2" x 36"

CS 775
3-1/4" x 60"

CS 724
Available in Square Top
2" x 41"

Available in most species



N-29
5” x 48”

N-32
4-3/8” x 48”

N-19
5-1/2” x 48”

N-43
3-1/2” x 48”

N-42
3-1/2” x 48”

N-38
3-1/2” x 72”

N-24
3-1/4” x 48”



Newel 5448
6900 Rail



N-44
8” x 48”



N-30
3” x 48”



B-33
2-1/4” x 36”



5448
5" x 48"
5" x 60"




5441
5" x 48"
5" x 60"



KAZ 1



Jeffer 1



B-35
1-1/2" x 35"

B-37
1-1/2" x 39"


B-34
1-1/2" x 36"

B-36
1-1/2" x 36"

B-20
2-1/4" x 41"

B-22
1-3/4" x 38"

B-21
1-3/4" x 39"



B-33
2-1/4" x 36"

B-41
1-3/4" x 39"

B-40
1-3/4" x 41"

B-25
1-1/2" x 32"

B-27
1-1/2" x 34-1/4"

B-26
1-1/2" x 38"

Sutter 35

CIE CV

Available in most species



Baluster (#4415 F)
Newel (#4410 F)
Volute (#7630, 7665)
Rail (#6600)


Easements and Caps



10
Starting Easing



12
Up Easing



12 E
Up Easing With
Straight Extension



36
Vertical Volute
Available 70 & 72 Series Only



19
Opening Cap

Fittings are available in the following series: 70, 71, 72, 73, 75, 76, 77, 78, 79, & 6042. Easements and Quarterturns



13
Over Easing



14
Up Easing 90°



15
Starting Easing
(Returned End)



16
Over Easing
(Returned End)



Baluster (#5015-P)
Newel (#1600-P)
Volute (#7030)
Rail (#6010)

Turnouts



41
Left Hand Turnout



46
Right Hand Turnout

2-7/8" From Center of Newel to Center of Handrail



40
Left Hand Turnout



45
Right Hand Turnout

4-7/8" From Center of Newel to Center of Handrail

Volutes



30
Left Hand Volute



35
Right Hand Volute

70 & 76 Series are 4-7/8" from center of newel to center of handrail. All other profiles are 5-1/8".



Universal Curved Arm Volute

35-U
Universal Right Hand Volute
30-U
Universal Left Hand Volute

Quarter Turns



08
Coped End
Available 70 & 72
Series Only



20
Tandem Cap



17
Radius Return End



09
Returned End



04 LH S-Curve
05 RH S-Curve
5" Center to Center
(Right Hand Shown)



11
Level Quarter Turn



22
135 °
Quarter Turns



21
Quarter Turn
Cap



11
135 °
Quarter Turns



Goosenecks



50
Left Hand

55
Right Hand



71
Left Hand

76
Right Hand



60
Left Hand

65
Right Hand



97
2 Riser
(With Cap)

89
2 Riser
(with Tandem)

99
2 Riser
(No Cap)



7090

7095



7091

7092



7094

7093



86
Right Hand


81
Left Hand

All goosenecks are shipped with easements unattached. Custom angles available on quarter turns.
Well hole fittings are 5-1/2" from Center of Rail to Center of Rail


Available in most species



1104
Newel Anchors
3" & 3-1/2" Sizes Available



1109
Rail Bolt Wrench



1108
Newel Anchor
11" Lag Bolt
1 Curved Washer
1 Nut
1-1/2" Oak and
Poplar Tapered Plugs



2000
Key Lock



1010
Flush Plug 1"



1070
Drop Cap
Available in 3" and
3-1/2" diameter




1075
Newel Finial



1076
Carved Pineapple



1077
Raised Carved
Pineapple



1080
Plain Bracket

1090
Scroll Bracket



1062
Round Rosette
4-3/8" Round



1060 Oval Rosette
5-1/2"H x 4-1/4"W
1064 Oval Rosette
6-1/2"H x 4-1/2"W



3004
Newel
Anchor



1106
Spin Driver
(to be used
with Dowel
Lockscrews)



1107
Dowel
Lockscrews
(24 per pack)



1020
Rail Bolt



3006
Newel Anchor



3007
Hardware
Combination Kit



1103
Newel
Anchor






1030
Wall Bracket




1032-HD
Wall Bracket

Items #1030 & 1032 available in the following finishes:
Bright Brass •Antique Brass
Dull Chrome •Satin Nickel • Satin Black

Treads, Risers & Starting Steps



8010 F
Reversible False End
Starting Step




8015
Double Starting Step
Specify Size - Measurement is distance from "notch to notch."
Also available in bowed front.




8010
Reversible Single
"Bull Nose" Starting Step
Specify: 36", 42", 48", 54" or 60"
Measurement is distance from "notch to notch."
Also available in bowed front.

8070
10-1/2" Tread
8071
11-1/2" Tread
Specify " 36", 42", 48" 54", 60" or 72"
Mitre Return: RH, LH or Double







8072
False End
(No M.R.)



8074
M.R. False End
Specify: RH or LH



97 "STR" Stringer
1" or 3/4" thick



8076
False Riser
1/2" thick



8080
Riser
Specify Size:
3/4" x 36", 42", 48",
54" or 60"

1 x 8" S4S
1 x 6" S4S
1 x 4" S4S



Winder Tread Panels
8078-TPNL
1" x 25" x 42"
1" x 25" x 48"
1" x 25" x 60"




Flooring for Landings
3-1/4", 4-1/4", 5-1/4"
Custom widths available



Bamboo Tread
8071—11-1/2"
Specify Size: 36", 48", 72"
Avaliable Prefinished Only
Natural or Carbonized
Specify Horizontal or Vertical Grain



Bamboo Tread
8080—7-1/2"
Size: 72" Only
Avaliable Prefinished Only
Natural or Carbonized
Specify Horizontal or Vertical Grain



8073-FALTR
36, 42, 48, 60
False full-length tread.
Left hand or right hand
available upon request.

Available in most species

Carolina Stair Supply
Craftsmanship in Stair Parts

Finish Options

The process of powder coating involves applying dry pigments using an electrostatic process, then baking them on to create a lasting and durable, as well as beautiful, finish.

The products found in the following section implement the powder coating technique. When ordering, please use the Finish Options Guide below.


Please indicate the type of finish by using the following abbreviations:

B = Flat Black Powder Coat
SP = Grey Speckled Powder Coat
SAT = Satin Black
CV = Copper Vein Powder Coat
ORC = Oil Rubbed Copper
ORB = Oil Rubbed Bronze


• *Iron Chain Samples Available Upon Request*

Example: CS 16.5.5-B = Carolina Stair Flat Black Twist & Basket Newel


Flat Black


Grey Speckled


Oil Rubbed Bronze


Satin Black


Copper Vein


Oil Rubbed Copper



CS 16.1.1
Ends: 1/2”
Ht: 44”
Wt: 3 lbs.
All Colors

CS 16.1.2
Ends: 1/2”
Ht: 44”
Wt: 3 lbs.
All Colors

CS 16.1.3
Ends: 1/2”
Ht: 44”
Wt: 4 lbs.
All Colors

CS 16.1.4
Ends: 1/2”
Ht: 44”
Wt: 4 lbs.
All Colors



CS 16.1.23
Ends: 1/2”
Ht: 44”
Wt: 6 lbs.
All Colors



CS 16.1.25
Ends: 1/2”
Ht: 44”
Wt: 5 lbs.
All Colors



CS 16.1.5
Ends: 1/2”
Ht: 44”
Wt: 3.2 lbs.
All Colors

CS 16.1.6
Ends: 1/2”
Ht: 44”
Wt: 3.2 lbs
All Colors

CS 16.1.10
Ends: 1/2”
Ht: 44”
Wt: 4 lbs.
All Colors



CS 16.1.11
Ends: 1/2”
Ht: 44”
Wt: 4 lbs.
All Colors



CS 16.3.6
Ends: 1/2”
Ht: 44”
Wt: 4 lbs.
All Colors



CS 16.3.7
Ends: 1/2”
Ht: 44”
Wt: 4 lbs.
All Colors



CS 16.3.8
Ends: 9/16”
Ht: 44”
Wt: 2.8 lbs.
All Colors



CS 16.3.9
Ends: 9/16” Square
Ht: 44”
Wt: 3.5 lbs.
All Colors



CS 16.3.10
Ends: 9/16” Square
Ht: 44”
Wt: 3.5 lbs.
All Colors



CS 16.3.11
Ends: 9/16” Square
Ht: 44”
Wt: 3.5 lbs.
All Colors



CS 16.1.17
Ends: 9/16” Round
Ht: 44”
Wt: 2.7 lbs.
Flat Black Only



CS 16.1.18
Ends: 9/16” Round
Ht: 44”
Wt: 2.7 lbs.
Flat Black Only



CS 16.1.19
Ends: 9/16” Round
Ht: 44”
Wt: 2.7 lbs.
Flat Black Only




CS 16.2.2
Ends: 9/16” Round
Ht: 44”
Wt: 2.7 lbs.
Flat Black Only

800-364-3269

Forged Balusters

Gothic Balusters



CS 16.1.26
Ends: 9/16”
Square
Ht: 44”
Wt: 3.3 lbs.
All Colors

CS 16.1.27
Ends: 9/16”
Square
Ht: 44”
Wt: 3.6 lbs.
All Colors


CS 16.3.8
Ends: 9/16”
Square
Ht: 44”
Wt: 2.8 lbs.
All Colors

CS 16.5.2
Ends: 9/16”
Square
Ht: 44”
Wt: 3.4 lbs.
All Colors

CS 16.1.8
Ends: 9/16”
Square
Ht: 44”
Wt: 3.8 lbs.
All Colors

CS 16.1.7
Ends: 9/16”
Square
Ht: 44”
Wt: 2.9 lbs.
All Colors

CS 16.1.9
Ends: 9/16”
Square
Ht: 44”
Wt: 4 lbs.
All Colors



CS 2.9.9
Ends: 9/16”
Ht: 44”
Wt: 3.2 lbs.
All Colors

CS 2.9.7
Ends: 9/16”
Ht: 44”
Wt: 4 lbs.
All Colors

CS 2.9.3
Ends: 9/16”
Ht: 44”
Wt: 3.5 lbs.
All Colors

CS 2.9.4
Ends: 9/16”
Ht: 44”
Wt: 3.8 lbs.
All Colors

CS 2.9.5
Ends: 9/16”
Ht: 44”
Wt: 3.5 lbs.
All Colors

CS 2.9.6
Ends: 9/16”
Ht: 44”
Wt: 3.8 lbs.
All Colors



CS 2.1.2
Ends: 9/16”
Ht: 44”
Wt: 3.5 lbs.
SAT, CV, ORB



CS 2.1.1
Ends: 9/16”
Ht: 44”
Wt: 3.9 lbs.
SAT, CV, ORB



CS 2.9.12
Ends: 9/16”
Ht: 44”
Wt: 3.6 lbs.
All Colors



CS 2.9.13
Ends: 9/16”
Ht: 44”
Wt: 5 lbs.
All Colors



CS 2.9.28
Ends: 9/16”
Ht: 44”
Wt: 4 lbs.
SAT, CV, ORB



CS 2.9.26
Ends: 9/16”
Ht: 44”
Wt: 3.5 lbs.
SAT, CU, ORB



CS 2.10.1
Ends: 1/2”
Ht: 44”
Wt: 3.5 lbs.
All Colors



CS 2.2.3
Ends: 9/16”
Ht: 44”
Wt: 3 lbs.
All Colors



CS 16.1.35
Ends: 1/2”
Ht: 44”
Wt: 3 lbs.
All Colors



CS 16.1.34
Ends: 1/2”
Ht: 44”
Wt: 3 lbs.
All Colors



CS 16.2.1
Ends: 1/2”
Ht: 44”
Wt: 3 lbs.
All Colors



CS 16.5.4
Ends: 1-3/16" Square
Ht: 48"
Wt: 10 lbs.
All Colors



CS 16.5.5
Ends: 1-3/16" Square
Ht: 48"
Wt: 10 lbs.
All Colors




CS 16.5.6
Ends: 1-3/16" Square
Ht: 48"
Wt: 10 lbs.
All Colors



CS 16.5.7
Ends: 1-3/16" Square
Ht: 48"
Wt: 10 lbs.
All Colors



CS 16.2.3
Metal Newel Mounting System
All Colors



Base Shoe
CS 16.3.1
1/2" Opening

CS 16.3.3
9/16" Opening

All Colors
Available with set screw



Pitch Shoe
With Set Screw
CS 16.3.2
1/2" Opening


CS 16.3.17
9/16" Opening

All Colors



Adjustable Knuckle
With Set Screw
CS 16.5.1
1/2" Opening

All Colors




Square
Scalloped Shoe
CS 16.3.4
1/2" Opening

All Colors



Round Scalloped Shoe
CS 16.3.5
1/2" Opening

Flat Black Only



Base Shoe
CS 16.3.18
1/2" Round Opening

CS 16.3.13
9/16" Round Opening

Flat Black Only



Pitch Shoe With
Round Opening
and Set Screw
CS 16.3.16
9/16" Opening

Flat Black Only



Adjustable Knuckle
With Round Opening and
Set Screw
CS 16.5.3
9/16" Opening


Flat Black Only




Epoxy Kit

Olé Iron Slides™

With the advent of the adjustable iron slide baluster, the do it yourself person can now design and install their own balustrade. Using only a drill, screwdriver and an allen wrench, the adjustable iron baluster can replace your old wood spindles without the expense of a professional. Leave your wood rail and newels in place, remove the wood spindles and replace them with a wrought iron balustrade quickly and without a big mess. Presto, you have a new design flavor for your living area.





Ole Iron Slides™ is a patent pending trademark of Carolina Stair Supply Inc.

Adjustable Stock Balusters





Plain
ISPLA



Twist
ISTW



Basket
ISBAS



Spd-Scroll
ISSSC



S-Scroll
ISSCR



H-Scroll
ISHSC

Available Colors: **AN** - Antique Nickel **B** - Flat Black **CV** - Copper Vein
SAT - Satin Black **SP** - Grey Speckled **ORC** - Oil Rubbed Copper

Slip on Appliqué

These are only a sample of decorative castings that will be available for your use in designing your own balustrade. A combination of castings can be used to achieve a custom look.



ISSW



ASBAS



ASL



ASB


Scan this code to watch the video



ISXT
3/8"x 3/8"x 16-1/2"



ASG



ASSW



ASSC